

References from UPM 2

1.1 Section 1

CLIFFORDE I T and MURRELL K N. (1993). **Urban Pollution Management: Review of Products and Implementation.** Foundation for Water Research, Report No. [FR 0405](#).

CRABTREE R W, DEMPSEY P and GENT R J. (1995). **Demonstration Project : Final Report.** Foundation for Water Research, Report No. [FR/CL0004](#).

Foundation for Water Research. (1996). **Assessing the Benefits of Surface Water Quality Improvements Manual.** Foundation for Water Research, Report No. [FR/CL0005](#).

1.2 Section 2

BALMFORTH D J, SAUL A J and CLIFFORDE I T. (1994). **Guide to the Design of Combined Sewer Overflow Structures.** Foundation for Water Research, Report No [FR0488](#).

CRABTREE R W, DEMPSEY P, BECKER M, GENT R, SIMPSON K and BRYAN D. (1993). **UPM Applications Methodology Final Report.** Foundation for Water Research, Report No [FR0384](#).

DETR (1997). **The Urban Wastewater Treatment (England and Wales) Regulations 1994.** Working document for Dischargers and Legislators. A Guidance Note issued by the Department of the Environment, Transport and the Regions and the Welsh Office.

DoE (1977). **Environmental Standards. A description of United Kingdom practice.** Pollution Paper No.11, HMSO, London.

DoE. (1994). **The Surface Waters (Rivers Ecosystem) (Classification) Regulation.** Statutory Instrument. Department of the Environment.

Environment Agency (1997). **Development of CSO Monitoring - Compliance testing.** R&D Technical Report P82. Environment Agency.

GUNBY A, ELLIS J C, DEMPSEY P, ORMAN N R and VAN DIJK P. (1998). **Compatibility of River Quality Targets for Continuous and Intermittent Discharges.** Foundation for Water Research, Report No [FR/CL0008](#).

MILNE I, MALLET M J, CLARKE S J, FLOWER S G, HOLMES D AND CHAMBERS R G. (1992). **Intermittent Pollution - Combined Sewer Overflows, Ecotoxicology and Water Quality Standards.** NRA R&D Note 123. National Rivers Authority.

NRA. (1995). **Calculation of river needs consents.** A guide and reference for setting discharge standards that aim to achieve river quality objectives. National Rivers Authority.

1.3 Section 3

CLIFFORDE I T and MURRELL K N. (1993). **Urban Pollution Management: Review of Products and Implementation.** Foundation for Water Research, Report No. [FR0405](#).

CRABTREE R W, BECKER M, BRYAN D, GENT R S and THRELFALL J L. (1994). **Review of UPM Modelling Tools**. Foundation for Water Research, Report No. [FR0442](#).

CRABTREE R W, DEMPSEY P, BECKER M, GENT R J, SIMPSON K and BRYAN D. (1993). **UPM Applications Methodology Final Report**. Foundation for Water Research, Report No. [FR0384](#).

CRABTREE R W, DEMPSEY P and GENT R (1995) **UPM Demonstration Project: Final Report**, Foundation for Water Research Report No. [FR/CL0004](#).

DEPARTMENT OF ENVIRONMENT/NATIONAL WATER COUNCIL. (1981). **Design and Analysis of Urban Storm Drainage - the Wallingford Procedure**. STC Report No. 28.

ELLIS J B (1989). **Urban Discharges and Receiving Water Impacts**. Pergamon Press, Oxford.

HALL M J, HOCKIN D L AND ELLIS J B (1993). **Design of Flood Storage Reservoirs**. CIRIA.

GATERELL, M R, HUNTER, K S, MORSE, G K and LESTER, J N. (1997). **Sewer Overflows in Eastern England: a General Survey for Environmental Investment**, European Water Pollution Control 7(3).

MANCE G. (1981). **The Quality of Urban Storm Discharges - a Review**. WRc Report ER 192-M.

MILNE I and CLARKE S J. (1994a). **Development of a Procedure for Assessing the Impact of Combined Sewer Overflows**. Foundation for Water Research, Report No. [FR0465](#)

MILNE I and CLARKE S J. (1994b). **User Guide for assessing the Impact of Combined Sewer Overflows**. Foundation for Water Research, Report No [FR0466](#).

NATURAL ENVIRONMENT RESEARCH COUNCIL. (1975). **Flood Studies Report; Volumes I to V**. Natural Environment Research Council.

1.4 Section 4

BS ISO 748 (1997). **Measurement of liquid flow in open channels - Velocity-area methods**. BSI.

BS ISO 9555 parts 1-4. (1992). **Liquid flow measurement in open channels: Dilution methods**. Part 1 General; Part 2 Radioactive Tracers; Part 3 Chemical Tracers; Part 4 Fluorescent Tracers. ISO Geneva, Switzerland.

CRABTREE R W, DEMPSEY P and GENT R. (1995). **Urban Pollution Management Demonstration Project: Final Report**. [FR/CL0004](#). Foundation for Water Research.

ISO/DIS 1102-2. (1996). **Measurement of liquid flow in open channels - Part 2: Determination of the stage discharge relation.** International Organisation for Standardisation (ISO), Geneva, Switzerland.

WRc (1987). **A Guide to Short Term Flow Surveys of Sewer Systems.** WRc, Swindon.

WRc (1990). **Design Guide for Marine Treatment Schemes.** WRc, Swindon.

WRc (1993). **Model Contract Document for Short Term Sewer Flow Surveys.** Foundation for Water Research and WRc.

1.5 Section 5

ASHLEY R M and CRABTREE R W. (1992). **Sediment Origins, Deposition and Build-up in a Combined Sewer System.** Wat. Sci. Tech., 25, No. 8, pp 1-12.

CRABTREE R W, DEMPSEY P and GENT R. (1995) **UPM Demonstration Project: Final Report,** Foundation for Water Research Report No. [FR/CL0004](#).

GENT R J, CRABTREE R W and EPERSON M. (1994). **Improved MOSQUITO Applications Procedures.** Foundation for Water Research, Report No. [FR0443](#).

THRELFALL J L, CRABTREE R W AND HYDE J. (1991). **Sewer Quality Archive Data Analysis.** Foundation for Water Research, Report No. [FR0203](#).

WaPUG. (1993). **Code of Practice for Hydraulic Modelling of Sewer Systems,** WRc.

1.5.1

CRABTREE R W, DEMPSEY P and GENT R. (1995) **UPM Demonstration Project: Final Report,** Foundation for Water Research, Report No. [FR/CL0004](#).

DURCHSCHLAG A, HÄRTEL L, HARTWIG P, KASELOW M, KOLLATSCH D, OTTERPOHL R and SCHWENTNER G. (1991). **Total emissions from combined sewer overflow and wastewater treatment plants.** European Water Pollution Control. 1(6), pp13-23.

DURCHSCHLAG A, HÄRTEL L, HARTWIG P, KASELOW M, KOLLATSCH D, OTTERPOHL R and SCHWENTNER G. (1992). **Joint consideration of combined sewerage and wastewater treatment plants.** Wat. Sci Tech. 26, No 5/6. pp1125-1134.

ENVIRONMENT AGENCY (1997). **Discharge Consents Manual, Version 1.1.** November 1997. Environment Agency.

HENZE M, GRADY C P L, GUJER W, MARAIS G v R and MATSUO T. (1987). **Activated Sludge Model No. 1.** IAWPRC, Scientific and Technical Report No. 1.

HENZE M, GUJER W, TAKAHASHI M, TOMONORI M, WENTZEL M and MARAIS G v R. (1995) **Activated Sludge Model No. 2,** Scientific and Technical Report No. 3. International Association on Water Quality.

LESSARD P and BECK M B. (1988). **Dynamic modelling of primary sedimentation.** Journal of Environmental Engineering, 114(4), pp753-769.

LESSARD P and BECK M B. (1991). **Dynamic simulation of storm tanks.** Water Research, 25(4), pp375-391.

OTTERPOHL R. (1990). **Stormwater Treatment in Wastewater Treatment Plants - Effects on Mechanical and Biological Efficiency.** Fifth International Conference on Urban Storm Drainage, Osaka, pp1111-1115.

TAKACS I, PATRY G G and NOLASCO D. (1991). **A Dynamic Model of the Clarification - Thickening Process.** Water Research, 25(10), pp1263-1271.

1.5.2

CRABTREE R W, DEMPSEY P and GENT R. (1995). **Urban Pollution Management Demonstration Project: Final Report.** [FR/CL0004](#). Foundation for Water Research.

GUSTARD A, BULLOCK A and DIXON J H. (1992) **Low Flow Estimation in the United Kingdom.** Institute of Hydrology Report No. 108.

MURRELL K N and HOWARD K. (1994). **MIKE 11 - Application Guide for Intermittent Discharge Quality Modelling.** NRA R&D Note 190.

WATTS G, GREW R, COOK S, SCRIVENS A and YOUNG A R. (1995) **Predicting Artificially Influenced Flow Statistics Using Micro Low Flows v 2.1.** NRA R&D Note 448.

1.5.3

BOWIE G L, MILLS W B, PORCELIA D B, CAMBELL C L, PAGENKOPF J R, RUPP G L, JOHNSON K M, CHAN P W H, GHERINI S A and CHAMBERLIN C E (1985). **Rates, Constants, and Kinetics. Formulations in Surface Water Quality Modelling (Second Edition).** Environmental Research Laboratory, Office of Research and Development, US Environmental protection Agency, Athens, Georgia, 455 pp.

EVANS G P. (1993). **A Framework for Marine and Estuarine Model Specification in the UK.** Foundation for Water Research, Report No [FR0374](#).

1.5.4

EVANS G P. (1993). **A Framework for Marine and Estuarine Model Specification in the UK.** Foundation for Water Research, Report No. [FR0374](#).

1.6 Section 6

BALMFORTH D J, SAUL A J and CLIFFORDE I T. (1994) **Guide to the Design of combined Sewer Overflow Structures.** Foundation for Water Research, Report No. [FR0488](#).

CANT J A. (1991) **Detention Tank Design and Maintenance (Incorporating a Design Guide).** WRc, Report No. UM 1233.

CIRIA. (1992) **Scope for Control of Urban Runoff**. Construction Industry Research and Information Association, Report Nos. 123 and 124.

CIRIA. (1996) **Infiltration Drainage - Manual of Good Practice**. Construction Industry Research and Information Association, Report No. 156.

CIWEM. Series of publication on **Preliminary Processes, Primary Sedimentation, Activated Sludge, Biological Filtration, Tertiary Treatment and Advanced Waste Water Treatment, an Introduction to Sewage Treatment**. Chartered Institution of Water and Environmental Management.

DEBO T N and REES A J. (1995) **Municipal Stormwater Management**. Lewis Publishers, Florida.

Environment Agency. (1997) **Discharge Consent Manual**. Environment Agency.

Foundation for Water Research. (1996) **Assessing the Benefits of Surface Water Quality Improvements - Manual**. [FR/CL0005](#).

HR WALLINGFORD. (1996) **Evaluating Real Time Control for Waste Water Systems**. HR Wallingford, Report No TR9.

KNOTT G E and TAYLOR. (1985) **The Use of Detention Tanks for Attenuation - A Review of Current Practice**. WRc Report ER171E.

METCALF and EDDY. (1991) **Wastewater Engineering: Treatment, Disposal and Reuse**. McGraw Hill, 3rd Edition.

NRA. (1995) **Regulation of Real Time Control in Urban Drainage Systems**. National Rivers Authority, R&D Note 399. Environment Agency.

ROEBUCK I H. (1989) **A Practical Consideration of the Design of Detention Tanks**. Municipal Engineer, August 1989.

SCHILLING W (ed). (1987) **Real Time Control of Urban Drainage Systems - The State of the Art**. Report of the IAWPRC Task Group on Real Time Control of Urban Drainage Systems, IAWQ.

UKWIR. (1994) **Combined Sewer Overflows**. United Kingdom Water Industry Research Limited. Project No WWT-001.

UKWIR. (1997) **Aesthetisizer - Software for Aesthetic Design of Combined Sewer Overflows**. United Kingdom Water Industry Research Limited.

URBONAS B and STAHERE P. (1993) **Stormwater Best Management Practices and Detention for Water Quality, Drainage and CSO Management**. Published by P T R Prentice Hall.

USWEF. (1992) **Design of Municipal Wastewater Treatment Plants**. US Water Environment Foundation, Manual of Practice No 8.

WaPUG. (1993) **Code of Practice for the Hydraulic Modelling of Sewer Systems**. Published by WRc.

WRc. (1994) **Sewerage Rehabilitation Manual : 3rd Edition**. WRc.

WRc. (1997) **Sewerage Detention Tanks - A Design Guide**. WRc.

WRc. (1998) **Control of Pollution from Separately Sewered Areas - Manual of Good Practice**. WRc Report No. PT2039.

1.7 Section 7

BALMFORTH D J, SAUL A J and CLIFFORDE I T. (1994) **Guide to the Design of combined Sewer Overflow Structures**. Foundation for Water Research, Report No. [FR0488](#).

CANT J A. (1991) **Detention Tank Design and Maintenance (Incorporating a Design Guide)**. WRc, Report No. UM 1233.

CIRIA. (1992) **Scope for Control of Urban Runoff**. Construction Industry Research and Information Association, Report Nos. 123 and 124.

CIRIA. (1996) **Infiltration Drainage - Manual of Good Practice**. Construction Industry Research and Information Association, Report No. 156.

CIWEM. Series of publication on **Preliminary Processes, Primary Sedimentation, Activated Sludge, Biological Filtration, Tertiary Treatment and Advanced Waste Water Treatment, an Introduction to Sewage Treatment**. Chartered Institution of Water and Environmental Management.

DEBO T N and REES A J. (1995) **Municipal Stormwater Management**. Lewis Publishers, Florida.

Environment Agency. (1997) **Discharge Consent Manual**. Environment Agency.

Foundation for Water Research. (1996) **Assessing the Benefits of Surface Water Quality Improvements - Manual**. [FR/CL0005](#).

HR WALLINGFORD. (1996) **Evaluating Real Time Control for Waste Water Systems**. HR Wallingford, Report No TR9.

KNOTT G E and TAYLOR. (1985) **The Use of Detention Tanks for Attenuation - A Review of Current Practice**. WRc Report ER171E.

METCALF and EDDY. (1991) **Wastewater Engineering: Treatment, Disposal and Reuse**. McGraw Hill, 3rd Edition.

NRA. (1995) **Regulation of Real Time Control in Urban Drainage Systems**. National Rivers Authority, R&D Note 399. Environment Agency.

ROEBUCK I H. (1989) **A Practical Consideration of the Design of Detention Tanks.** Municipal Engineer, August 1989.

SCHILLING W (ed). (1987) **Real Time Control of Urban Drainage Systems - The State of the Art.** Report of the IAWPRC Task Group on Real Time Control of Urban Drainage Systems, IAWQ.

UKWIR. (1994) **Combined Sewer Overflows.** United Kingdom Water Industry Research Limited. Project No WWT-001.

UKWIR. (1997) **Aesthetisizer - Software for Aesthetic Design of Combined Sewer Overflows.** United Kingdom Water Industry Research Limited.

URBONAS B and STAHERE P. (1993) **Stormwater Best Management Practices and Detention for Water Quality, Drainage and CSO Management.** Published by P T R Prentice Hall.

USWEF. (1992) **Design of Municipal Wastewater Treatment Plants.** US Water Environment Foundation, Manual of Practice No 8.

WaPUG. (1993) **Code of Practice for the Hydraulic Modelling of Sewer Systems.** Published by WRc.

WRc. (1994) **Sewerage Rehabilitation Manual : 3rd Edition.** WRc.

WRc. (1997) **Sewerage Detention Tanks - A Design Guide.** WRc.

WRc. (1998) **Control of Pollution from Separately Sewered Areas - Manual of Good Practice.** WRc Report No. PT2039.

1.8 Appendix A

COBLE D W. (1961). **Influence of Water Exchange and Dissolved Oxygen in the Redds on Survival of Steelhead Trout Embryos.** Transactions of the American Fisheries Society, 90, pp 469-474.

ENVIRONMENTAL PROTECTION AGENCY. (1986) **Ambient Water Quality for Dissolved Oxygen.** United States Environmental Protection Agency. EPA 440/5-86-003.

MILNE I, MALLETT M J, CLARKE S J, FLOWER T G, HOLMES D and CHAMBERS R G. (1992) **Intermittent Pollution - Combined Sewer Overflows, Ecotoxicology and Water Quality Standards.** NRA R&D Note 123.

MILNE I and SEAGER J. (1990) **Proposed Water Quality Criteria for the Protection of Aquatic Life from Intermittent Pollution: Dissolved Oxygen.** WRc Report to the NRA, PRS 2498 - M.

MILNE I and SEAGER J. (1991) **Proposed Water Quality Criteria for the Protection of Aquatic Life from Intermittent Pollution: Ammonia.** WRc Report to the NRA NR 2682/1.

NATIONAL RIVERS AUTHORITY (1996) **The impact of land use on salmonids - a study of the River Torridge catchment.** HMSO. London.

WATER RESEARCH CENTRE (2012): **Review of urban pollution management standards against WFD requirements.** B Crabtree, J Horn and I Johnson. Environment Agency Evidence Report.

1.9 Appendix C

ENVIRONMENT AGENCY. (1997) **Development of CSO Monitoring - Compliance Testing,** R&D Technical Report P82.